

CORRECTIVE EXERCISE (RESTORE, ACTIVATE, MOVE)

Aminian-Far A, Hadian MR, Olyaei G, Talebian S, Bakhtiyari AH. [Whole-body vibration and the prevention and treatment of delayed-onset muscle soreness](#). *J Ath Train*, 2011;46(1):43-49.

Barbosa AW, Silva AM, Silva AF, Martins FL, Almeida Barbosa MC. [Immediate improvements in activation amplitude levels of the deep abdominal muscle following a sacroiliac joint manipulation during rapid upper limb movement](#). *J Bodyw Mov Ther*, 2014;18(4):626-632.

Birmingham TB, Kramer J, Lumsden J, Obright KD, Kramer JF. [Effect of a positional release therapy technique on hamstring flexibility](#). *Physiother Can*, 2004;56:165-170.

Collins N, Teys P, Vicenzino B. [The effects of a Mulligan's mobilization with movement technique on dorsiflexion and pain in subacute ankle sprains](#). *Manual Ther*, 2004;9:77-82.

Denegar CR, Hertel J, Fonseca J. [The effect of lateral ankle sprain on dorsiflexion range of motion, posterior talar glide, and joint laxity](#). *J Orthop Sports Phys Ther*, 2002;32:166-173.

Donaldson L, Li B, Cusimano MD. [Economic burden of time lost due to injury in NHL hockey players](#). *Inj Prev*, 2014;20(5):347-349.

Drover JM, Forand DR, Herzog W. [Influence of active release technique on quadriceps inhibition and strength: a pilot study](#). *J Manip Physiol Ther*, 2004;27(6):408-413.

Franettovich Smith MM, Honeywill C, Wyndow N, Crossley KM, Creaby MW. [Neuromuscular control of gluteal muscles in runners with Achilles tendinopathy](#). *Med Sci Sports Exerc*, 2014;46(3):594-599.

George JW, Tunstall AC, Tepe RE, Skaggs CD. [The effects of active release technique on hamstring flexibility: a pilot study](#). *J Manip Physiol Ther*, 2006;29(3):224-227.

Goochers CE, Beach TAC, Frost DM, Callaghan JP. [The influence of resistance bands on frontal plane knee mechanics during body-weight squat and vertical jump movements](#). *Sports Biomech*, 2012;11(3):391-401.

Grieve R, Clark J, Pearson E, Bullock S, Boyer C, Jarrett A. [The immediate effect of soleus trigger point pressure release on restricted ankle joint dorsiflexion: A pilot randomized controlled trial](#). *J Bodyw Mov Ther*, 2011;15(1):42-49.

Grindstaff TL, Beazell JR, Magrum EM, Hertel J. Joint mobilization techniques for restricted ankle dorsiflexion. *Ath Tr Sports Health Care*, 2009;1(3):99-100.

Hoch MC, McKeon PO. [The effectiveness of mobilization with movement at improving dorsiflexion after ankle sprain](#). *J Sport Rehabil*, 2010;19:226-232.

Hoch MC, Staton GS, McKeon PO. [Dorsiflexion range of motion significantly influences dynamic balance](#). *J Sci Med Sport*, 2011;14:90-92.

Hubbard TJ, Hertel J. [Anterior positional fault of the fibula after sub-acute lateral ankle sprains](#). *Manual Ther*, 2008;13:63-67.

Kannan P. [Management of myofascial pain of upper trapezius: a three group comparison study](#). *Glob J Health Sci*, 2012;4(5):46-52.

Kay AD, Blazevich AJ. [Effect of acute static stretch on maximal muscle performance: a systematic review](#). *Med Sci Sports Exerc*, 2012;44(1):154-164.

Krist MR, van Beijsterveldt AM, Backx FJ, de Wit GA. [Preventive exercises reduced injury-related costs among adult male amateur soccer players: a cluster-randomised trial](#). *J Physiother*, 2013;59(1):15-23.

MacDonald GZ, Button DC, Drinkwater EJ, Behm DG. [Foam rolling as a recovery tool after an intense bout of physical activity](#). *Med Sci Sports Exerc*, 2014;46(1):131-142.

MacDonald GZ, Penney MD, Mullaley ME, Cuconato AL, Drake DC, Behm DG, Button DC. [An Acute bout of self-myofascial release increases range of motion without a subsequent decrease in muscle activation force](#). *J Str Cond Res*, 2013;27(3):812-821.



Mikesky AE, Bahamonde RE, Standon K, Alvey T, Fitton T. [Acute effects of The Stick on strength, power, and flexibility](#). *J Str Cond Res*, 2002;16(3):446-450.

Mohr AR, Long BC, Goad CL. [Effect of foam rolling and static stretching on passive hip-flexion range of motion](#). *J Sport Rehabil*, 2014;23(4):296-299.

Ogura Y, Miyahara Y, Naito H, Katamoto S, Aoki J. [Duration of static stretching influences muscle force production in hamstring muscles](#). *J Str Cond Res*, 2007;21(3):788-792.

Oliveira-Campelo NM, de Melo CA, Albuquerque-Sendin F, Machado JP. [Short- and medium-term effects of manual therapy on cervical active range of motion and pressure pain sensitivity in latent myofascial pain of the upper trapezius muscle: a randomized controlled trial](#). *J Manip Physiol Ther*, 2013;36(5):300-309.

Pearcey GE, Bradbury-Squires DJ, Kawamoto JE, Drinkwater EG, Behm DG, Button DC. [Foam rolling for delayed-onset muscle soreness and recovery of dynamic performance measures](#). *J Ath Train*, 2014; ePub ahead of print Jan 2015.

Prieske O, Muehlbauer T, Borde R, Gube M, Bruhn S, Behm DG, Granacher U. [Neuromuscular and athletic performance following core strength training in elite youth soccer: Role of instability](#). *Scand J Med Sci Sports*, 2015;first published online Jan 2015. DOI: 10.1111/smss.12403.

Reid A, Birmingham TB, Alcock G. [Efficacy of mobilization with movement for patients with limited dorsiflexion after ankle sprain: A cross-over trial](#). *Physiother Can*, 2007;59:166-172.

Sandberg JB, Wagner DR, Willardson JM, Smith GA. [Acute effects of antagonist stretching on jump height, torque, and electromyography of agonist musculature](#). *J Str Cond Res*, 2012;26(5):1249-1256.

Sarrafzadeh J, Ahmadi A, Yassin M. [The effects of pressure release, phonophoresis of hydrocortisone, and ultrasound on upper trapezius latent myofascial trigger point](#). *Arch Phys Med Rehabil*, 2012;93(1):72-77.

Seidi F, Rajabi R, Ebrahimi I, Alizadeh MH, Minoonejad H. [The efficiency of corrective exercise interventions on thoracic hyper-kyphosis angle](#). *J Back Musc Rehabil*, 2014;27:7-16

Shirey M, Huributt M, Johansen N, King GW, Wilkinson SG, Hoover DL. [The influence of core musculature engagement on hip and knee kinematics in women during a single leg squat](#). *Int J Sports Phys Ther*, 2012;7(1):1-12.

Sullivan KM, Silvey DB, Button DC, Behm DG. [Roller-massager application to the hamstrings increases sit-and-reach range of motion within five to ten seconds without performance impairments](#). *Int J Sports Phys Ther*, 2013;8(3):228-236.

Vincenzo B, Brandjerdpor M, Teys P, Jordan K. [Initial changes in posterior glide and dorsiflexion of the ankle after mobilization with movement with individuals with recurrent ankle sprains](#). *J Orthop Sports Phys Ther*, 2006;36(7):464-471.

Wikstrom EA, Hubbard TJ. [Talar positional fault in persons with chronic ankle instability](#). *Arch Phys Med Rehab*, 2010;91:1267-1271.

