

MOVEMENT IMPAIRMENT, INJURY AND ASSESSMENT

- Audenaert EA, Peeters I, Vigneron L, Baelde N, Pattyn C. [Hip morphological characteristics and range of internal rotation in femoroacetabular impingement](#). *Am J Sports Med*, 2012;40:1329-1336.
- Backman LJ, Danielson P. [Low range of ankle dorsiflexion predisposes for patellar tendinopathy in junior elite basketball players: A 1-year prospective study](#). *Am J Sports Med*, 2011;39(12):2626-2633.
- Bell DR, Oates DC, Clark MA, Padua DA. [Two-and 3-dimensional knee valgus are reduced after an exercise intervention in young athletes with demonstrable valgus during squatting](#). *J Ath Train*, 2013; 48(4): 442-449.
- Bell DR, Padua DA, Clark MA. [Muscle strength and flexibility characteristics of people displaying excessive medial knee displacement](#). *Arch Phys Med Rehab*, 2008;89(7):1323-1328.
- Bell DR, Vesci BJ, DiStefano LJ, Guskiewicz KM, Hirth CJ, Padua DA. [Muscle activity and flexibility in individuals with medial knee displacement during the overhead squat](#). *Ath Train & Sports Health Care*. 2012; 4(3):117-125.
- Beutler AI, de la Motte SJ, Marshall SW, Padua DA, Boden BP. [Muscle strength and qualitative jump-landing differences in male and female military cadets: The jump-ACL study](#). *J Sports Sci & Med*, 2009;8:663-671.
- Birrell F, Afzal C, Nahit E, Lunt M, Macfarlane GJ, Cooper C, Croft PR, Hosie G, Silman AJ. [Predictors of hip joint replacement in new attenders in primary care with hip pain](#). *Br J Gen Pract*, 2003;53:26-30.
- Birrell F, Croft P, Cooper C, Hosie G, Macfarlane G, Silman A. [Predicting radiographic hip osteoarthritis from range of movement](#). *Rheumatology*, 2001;40:506-512.
- Bittencourt N, Ocarino JM, Mendonca LD, Hewett T, Fonseca, ST. [Foot and hip contributions to high frontal plane knee projection angle in athletes: A classification and regression tree approach](#). *J Orthop Sports Phys Ther*, 2012;42(12):996-1004.
- Boling M, Padua D, Marshall S, Guskiewicz K, Pyne S, Beutler A. [Gender differences in the incidence and prevalence of patellofemoral pain syndrome](#). *Scand J Med Sci Sports*, 2010;20:725-730.
- Boling MC, Padua DA, Marshall SW, Guskiewicz K, Pyne S, Beutler A. [A prospective investigation of biomechanical risk factors for patellofemoral pain syndrome: The joint undertaking to monitor and prevent ACL injury \(jump-ACL\) cohort](#). *Am J Sports Med*, 2009;37(11):2018-2116.
- Borsa PA, Dover GC, Wilk KE, Reinold MM. [Glenohumeral range of motion and stiffness in professional baseball pitchers](#). *Med Sci Sports Exerc*, 2006;38(1):21-26.
- Buck FM, Hodler J, Zanetti M, Dora C, Pfirrmann C. [Ultrasound for the evaluation of femoroacetabular impingement of the cam type. Diagnostic performance of qualitative criteria and alpha angle measurements](#). *Eur Radiol*, 2011;21:167-175.
- Burnett RSJ, Della Rocca GJ, Prather H, Curry M, Maloney WJ, Clohisy JC. [Clinical presentation of patients with tears of the acetabular labrum](#). *J Bone Joint Surg Am*, 2006;88-A(7):1448-1457.
- Chaudhari AMW, McKenzie CS, Pan X, Onate J. [Lumbopelvic control and days missed because of injury in professional baseball pitchers](#). *Am J Sports Med*;42(11):2734-2740.
- Chmielewski TL, Hodges MJ, Horodyski M, Bishop MD, Conrad BP, Tillman SM. [Investigation of clinician agreement in evaluating movement quality during unilateral lower extremity functional tasks: a comparison of two rating methods](#). *J Orthop Sports Phys Ther*, 2007;37(3):122-129.
- Cibulka MT, Strube MJ, Meier D, Selsor M, Wheatley C, Wilson NG, Irrang JJ. [Symmetrical and asymmetrical hip rotation and its relationship to hip rotator strength](#). *Clin Biomech*, 2010;25(1):56-62.
- Clohisy JC, Knaus ER, Hunt DM, Leshner JM, Harris-Hayes M, Prather H. [Clinical presentation of patients with symptomatic anterior hip impingement](#). *Clin Orthop Relat Res*, 2009;467:638-644.



Currier LL, Froehlich PJ, Carow SD, McAndrew RK, Cliborne AV, Boyles RE, Mansfield LT, Wainner RS. [Development of a clinical prediction rule to identify patients with knee pain and clinical evidence of knee osteoarthritis who demonstrate a favorable short-term response to hip mobilization](#). *Phys Ther*, 2007;87:1106-1119.

Davies GJ, Matheson JW. Shoulder plyometrics. *Sports Med Arth Rev*, 2001;9(1):1-18.

de la Motte S, Arnold BL, Ross SE. [Trunk-rotation differences at maximal reach of the Star Balance Excursion Test in participants with chronic ankle instability](#). *J Ath Train*, 2014;49(3):ePub ahead of print Jan 2015.

DiStefano LJ, DiStefano MJ, Frank BS, Clark MA, Padua DA. [Comparison of integrated and isolated training on performance measures and neuromuscular control](#). *J Str Cond Res*, 2013;27(4):1083-1090.

Doherty C, Bleakley C, Hertel J, Caulfeld B, Ryan J, Delahunt E. [Single-leg drop landing movement strategies 6 months following first-time acute lateral ankle sprain injury](#). *Scand J Med Sci Sports*, 2014;Article first published online 29-Dec 2014.

Ellera Gomes JL, de Castro JV, Becker R. [Decreased hip range of motion and noncontact injuries of the anterior cruciate ligament](#). *Arthroscopy*, 2008;24(9):1034-1037.

Ellera Gomes JL, Moreira Palma H, Becker R. [Radiographic findings in restrained hip joints associated with ACL ruptures](#). *Knee Surg Sports Traum Arth*, 2010; 18:1562-1567.

Ellera Gomes JL, Ruthner R. [Influence of hip restriction on noncontact ACL rerupture](#). *Knee Surg Sports Traum Arth*, 2012;ePub online December 2012. DOI: 10-1007/s00167-012-2348-0.

Esformes JI, Bampouras TM. [Effect of back squat depth on lower-body postactivation potentiation](#). *J Str Cond Res*, 2013;27(11):2997-3000.

Fong CM, Blackburn JT, Norcross MF, McGrath M, Padua DA. [Ankle-dorsiflexion range of motion and landing biomechanics](#). *J Athl Train*, 2011;46(1):5-10.

Frohm A, Heijne A, Kowalski J, Svenson P, Myklebust G. [A nine-test screening battery for athletes: a reliability study](#). *Scand J Med Sci Sports*, 2012;22:306-315.

Gribble PA, Hertel J, Plisky P. [Using the Star Excursion Balance Test to assess dynamic postural-control deficits and outcomes in lower extremity injury: A literature and systematic review](#). *J Ath Train* 2012;47(3):339-357.

Hegedus EJ, McDonough S, Bleakley C, Cook CE, Baxter GD. [Clinician-friendly lower extremity physical performance measures in athletes: a systematic review of measurement properties and correlation with injury, part 1. The tests for knee function including the hop tests](#). *Br J Sports Med*, 2014; bjsports-2014-094094 Published Online First: 10 December 2014.

Heiderscheit BC, Sherry MA, Slider A, Chumanov ES, Thelen DG. [Hamstring strain injuries: Recommendations for diagnosis, rehabilitation, and injury prevention](#). *J Orthop Sports Phys Ther*, 2010;40(2):67-81.

Hewett TE, Myer GD, Ford KR, Heidt RS, Colosimo AJ, McLean SG, van den Bogert AJ, Patermo MV, Succop P. [Biomechanical measures of neuromuscular control and valgus loading of the knee predict anterior cruciate ligament injury risk in female athletes: A prospective study](#). *Am J Sports Med*, 2005;33:492-501.

Hirth CJ, Padua DA. [Clinical movement analysis to identify muscle imbalances and guide exercise](#). *Ath Ther Today*, 2007;12(4):10-14.

Hoeksma HL, Dekker J, Ronday HK, Heering A, van der Lubbe N, Vel C, Breedveld FC, van den Ende CHM. [Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: A randomized clinical trial](#). *Arthritis Rheum*, 2004;51(5):722-729.

Hunt MA, Gunether JR, Gilbert MK. [Kinematic and kinetic differences during walking in patients with and without symptomatic femoroacetabular impingement](#). *Clin Biomech*, 2013;28:519-523.

Johnson KD, Kim KM, Yu BK, Saliba SA, Grindstaff TL. [Reliability of thoracic spine rotation range-of-motion measurements in healthy adults](#). *J Ath Train*, 2012;47(1):52-60.

Kachingwe AF, Grech S. [Proposed algorithm for the management of athletes with athletic pubalgia \(sports hernia\): A case series](#). *J Orthop Sports Phys Ther*, 2008;28(12):768-781.

Kapron AL, Anderson AE, Peters CL, Phillips LG, Stoddard GJ, Petron DJ. [Hip internal rotation is correlated to radiographic findings of cam femoroacetabular impingement in collegiate football players](#). *Arthroscopy*, 2012;28(11):1661-1670.



- Keck NA, Cuddy JS, Hailes WS, Dumke CL, Ruby BC. [Effects of commercially available pneumatic compression on muscle glycogen recovery following exercise](#). *J Str Cond Res*, 2014;published ahead of print. DOI:10.1519.
- Khamis S, Yizhar Z. [Effect of feet hyperpronation on pelvic alignment in a standing position](#). *Gait Posture*, 2007;25:127-134.
- Kritz M, Cronin J, Hume P. [Using the body weight forward lunge to screen an athlete's lunge pattern](#). *Str Cond J*, 2009;31(6):15-24.
- Kolar P, Sulc J, Kyncl M, Sanda J, Cakrt O, Anel R, Kobesova A. [Postural function of the diaphragm in persons with and without chronic low back pain](#). *J Orthop Sport Phys Ther*, 2012;42(4):352-362.
- Konor MM, Morton S, eckerson JM, Grindstaff TL. [Reliability of three measures of ankle dorsiflexion range of motion](#). *Int J Sports Phys Ther*, 2012;7(3):279-287.
- Kouyoumdjian P, Coulomb R, Sanchez T, Asencio G. [Clinical evaluation of hip joint rotation range of motion in adults](#). *Orthop Traum Surg Res*, 2012;98:17-23.
- Lauersen JB, Bertelsen DM, Andersen LB. [The effectiveness of exercise interventions to prevent sports injuries: a systematic review and meta-analysis of randomised controlled trials](#). *Br J Sports Med*, 2014;48:871-877
- Lerch S, Kasperczyk A, Warnecke J, Berndt T, Ruhmann O. [Evaluation of cam-type femoroacetabular impingement by ultrasound](#). *Int Orthop*, 2013;37:783-788.
- Lin PL, Shih YF, Chen WY, Hsiao LM. [Neurodynamic responses to the femoral slump test in patients with anterior knee pain syndrome](#). *J Orthop Sports Phys Ther*, 2014;44(5): 350-357.
- List R, Gulay T, Stoop M, Lorenzetti S. [Kinematics of the Trunk and Lower Extremities During Restricted and Unrestricted Squats](#). *J Str Cond Res*, 2013;27(6):1529-1538.
- MacDonald CW, Whitman JM, Cleland JA, Smith M, Hoeksma HL. [Clinical outcomes following manual physical therapy and exercise for hip osteoarthritis: A case study](#). *J Orthop Sports Phys Ther*, 2006;36(8):588-600.
- Mackala K, Stodolka J, Siemienski A, Coh A. [Biomechanical analysis of squat jump and countermovement jump from varying starting positions](#). *J Str Cond Res*, 2013;27(10):2650-2661.
- Macrum E, Bell DR, Boling M, Lewek M, Padua DA. [Effect of limiting ankle dorsiflexion range of motion on lower extremity kinematics and muscle-activation patterns during a squat](#). *J Sport Rehabil*, 2012;21:144-150.
- Malliaras P, Cook JL, Kent P. [Reduced ankle dorsiflexion range may increase the risk of patellar tendon injury among volleyball players](#). *J Sci Med Sport*, 2006;9:304-309.
- Manutel TC, Begalle RL, Cram TR, Frank BS, Hirth CJ, Blackburn T, Padua DA. [The effects of lower extremity muscle activation and passive range of motion on single leg squat performance](#). *J Str Cond Res*, 2013;27(7):1813-1823.
- Moreside JM, McGill SM. [Improvements in hip flexibility do not transfer to mobility in functional movement patterns](#). *J Str Cond Res*, 2013;27(10):2635-2643.
- Myer, Ford, Di Stasi, et. al. [High knee abduction moments are common risk factors for Patellofemoral Pain \(PFP\) and anterior cruciate ligament \(ACL\) injury in girls: Is PFP itself a predictor for subsequent ACL injury?](#) *Br J Sports Med*. bjsports-2013-092536 Published Online First: 31 March 2014.
- Nilstad A, Andersen TE, Kristianslund E, Bahr R, Myklebust G, Steffen K, Krosshaug T. [Physiotherapists can identify female football players with high knee valgus angles during vertical drop jumps using real time observational screening](#). *J Orthop Sports Phy Ther*, 2014;44(5):358-365.
- Notzli HP, Wyss TF, Stoecklin CH, Schmid MR, Treiber K, Hodler J. [The contour of the femoral head-neck junction as a predictor for the risk of anterior impingement](#). *J Bone Joint Surg Br*, 2002;84-B(4):556-560.
- Okada T, Huxel KC, Nesser TW. [Relationship between core stability, functional movement, and performance](#). *J Str Cond Res*, 2011;25(1):252-261.
- Oliver GD, Weimar WH. [Hip and shoulder range of motion in youth baseball pitchers](#). *J Str Cond Res*, 2014;ePub ahead of print.
- O'Shea S, Grafton K. [The intra and inter-rater reliability of a modified weight-bearing lunge measure of ankle dorsiflexion](#). *Man Ther*, 2013;18:264-268.



Padua DA, Bell DR, Clark MA. [Neuromuscular characteristics of individuals displaying excessive medial knee displacement](#). *J Ath Train*, 2012;47(5):525-536.

Padua DA, Boling MC, DiStefano LJ, Onate JA, Beutler AI, Marshall SW. [Reliability of the landing error scoring system-real time, a clinical assessment tool of jump-landing biomechanics](#). *J Sport Rehabil*, 2011;20:145-156.

Padua DA, Marshall SW, Boling MC, Thigpen CA, Garrett Jr WE, Beutler AI. [The landing error scoring system \(LESS\) is a valid and reliable clinical assessment tool of jump-landing biomechanics: The jump-ACL study](#). *Am J Sports Med*, 2009;37(10):1996-2002.

Paterno MV, Schmitt LC, Ford KR, Rauh MJ, Myer GD, Huang B, Hewett TE. [Biomechanical measures during landing and postural stability predict second anterior cruciate injury after anterior cruciate ligament reconstruction and return to sport](#). *Am J Sports Med*, 2010;38(10):1968-1978.

Paterno MV, Taylor-Haas JA, Myer GD, Hewett TF. [Prevention of overuse sports injuries in the young athlete](#). *Orthop Clin N Am*, 2013;44:553-564.

Philippon M, Dewing C, Briggs K, Steadman JR. [Decreased femoral head-neck offset: a possible risk factor for ACL injury](#). *Knee Surg Traum Arth*, 2012;20:2585-2589.

Piva SR, Goodnite EA, Childs JD. [Strength around the hip and flexibility of soft tissues in individuals with and without patellofemoral pain syndrome](#). *J Orthop Sports Phys Ther*, 2006;35(12):793-801.

Posner M, Cameron KL, Wolf JM, Belmont, PJ, Owens BD. [Epidemiology of major league baseball injuries](#). *Am J Sports Med*, 2011;39(8):1676-1680.

Powers CM. [The influence of abnormal hip mechanics on knee injury: A biomechanical perspective](#). *J Orthop Sports Phys Ther*, 2010;40(2):42-51.

Rabin A, Kozol Z, Moran U, Efergan A, Geffen Y, Finestone AS. [Factors Associated With Visually Assessed Quality of Movement During a Lateral Step-down Test Among Individuals With Patellofemoral Pain](#). *J Orthop Sports Phys Ther*, 2014;44(12):937-946.

Sahin N, Atici T, Ozturk A, Ozkaya G, Avcu B, Ozkan Y. [The relationship between chronic hip pain and femoroacetabular impingement: An evaluation with clinical signs and radiography](#). *Joint Dis Rel Surg*, 2011;22(3):129-133.

Sauers EL, Huxel Bliven KC, Johnson MP, Falsone S, Walters S. [Hip and glenohumeral rotational range of motion in healthy professional baseball pitchers and position players](#). *Am J Sports Med*, 2014;42(2):430-436.

Schmitt H, Brocai DRC, Lukoschek M. [High prevalence of hip arthrosis in former elite javelin throwers and high jumpers](#). *Acta Orthop Scand*, 2004;75(1):34-39.

Selkowitz DM, Beneck CJ, Powers CM. [Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes](#). *J Orthop Sports Phys Ther*, 2013;43(2):54-65.

Smith CA, Chimera NJ, Warren M. [Association of Y balance test reach asymmetry and injury in Division I athletes](#). *Med Sci Sports Med*, 2015;47(1):136-141.

Sprague PA, Mokha GM, Gatens DR, Rodriguez R. [The relationship between glenohumeral joint total range of motion and the Functional Movement Screen shoulder mobility test](#). *Int J Sports Phys Therapy*, 2014;9(5):657-668.

Sugimoto D, Myer GD, Barber Foss KD, Hewett TE. [Specific exercise effects of preventive neuromuscular training intervention on anterior cruciate ligament injury risk reduction in young females: meta-analysis and subgroup analysis](#). *Br J Sports Med*, 2014;0:1-9.

Tainaka J, Takizawa T, Kobayashi H, Unimura M. [Limited hip rotation and non-contact anterior cruciate ligament injury: A case-control study](#). *Knee*, 2014;21(1):86-90.

Teyhen D, Bergeron MF, Deuster P, Baumgartner N, Beutler AI, de la Motte SJ, Jones BH, Lisman P, Padua DA, Pendergrass TL, Pyne SW, Schoomaker E, Sell TC, O'Connor F. [Consortium for health and military performance and American College of Sports Medicine summit: Utility of functional movement assessment in identifying musculoskeletal injury risk](#). *Med Sci Sports Exerc*, 2014;13(1):52-63.

Theiss JL, Gerber JP, Cameron KL, Beutler AI, Marshall SW, DiStefano, LJ, Padua DA, de la Motte SJ, Miller JM, Yunker CA. [Jump-landing differences between varsity, club, and intramural athletes: The jump-ACL study](#). *J Str Cond Res*, 2014;28(4):1164-1171.

Thompson CH, Myers Cobb K, Blackwell J. [Functional training improves club head speed and functional fitness in older golfers](#). *J Str Cond Res*, 2007;21(1):131-137.



Wilk KE, Macrina LC, Arrigo C. [Passive range of motion characteristics in the overhead baseball pitcher and their implications for rehabilitation](#). *Clin Orthop Relat Res*, 2012;470(6):1586-1594.

Wilk KE, Macrina LC, Fleisig GS, Aune KT, Porterfield RA, Harker P, Evans TJ, Andrews JR. [Deficits in glenohumeral passive range of motion increase risk of elbow injury in professional baseball pitchers: A prospective study](#). *Am J Sports Med*, 2014;42(9):2075-2081.

Wilson JD, Ireland ML, Davis I. [Core strength and lower extremity alignment during single leg squats](#). *Med Sci Sports Exerc*, 2006;38(5):945-952.

Witvrouw E, Lysens R, Bellemans J, Cambier D, Vanderstraeten G. [Intrinsic risk factors for the development of anterior knee pain in an athletic population: A two-year prospective study](#). *Am J Sports Med*, 2000;28(4):480-489.

Zeller BL, McCrory JL, Kibler B, Uhl TL. [Differences in kinematics and electromyographic activity between men and women during the single-legged squat](#). *Am J Sports Med*, 2003;31:449-455.

